


# Silicone Rubber Insulated Thermocouple Cable / Wire (IEC) Type K



[Click here to view product](#)

|                            |  |
|----------------------------|--|
| <b>Product Code</b>        | XE-2164  |
| <b>General Description</b> | Good electrical and mechanical properties, highly flexible, resistant to oils, acids and other adverse fluids. Good heat resistance to 200°C although not suitable for direct use in high pressure steam applications. |
| <b>Cable Length</b>        | 10m, 25m, 50m, 100m  |
| <b>Core / Strands</b>      | 7/0.2mm  |
| <b>Outer Colour</b>        | Green  |
| <b>+ Colour</b>            | Green  |
| <b>- Colour</b>            | White  |
| <b>Drain Wire</b>          | No   |

|                            |  |
|----------------------------|--|
| <b>Insulation Material</b> | Silicone rubber insulated 7/0.2mm conductors, twisted together with silicone rubber outer jacket |
| <b>Max. Temperature</b>    | +200°C   |
| <b>Min. Temperature</b>    | -40°C  |
| <b>Screen</b>              | No   |
| <b>Standards Met</b>       | Colour code (cores & jacket) to IEC-584-3  |
| <b>Thermocouple Type</b>   | K  |
| <b>Tolerance</b>           | Class 2 to IEC-584   |