

GT1201 Ultrasonic Thickness Gauge







Labfacility are the UK's leading manufacturer of Temperature Sensors, Thermocouple Connectors and associated Temperature Instrumentation and stockings of Thermocouple Cables. The Company has been trading since 1971 and is ISO9001 accredited.

Datasheet



The hand-held ultrasonic thickness gauge is controlled by a microprocessor, which can measure thickness and sound speed of various materials quickly, accurately and without damage by ultrasonic measurement.

This instrument is capable of accurate measurement for different materials or parts in industrial production, as well as monitoring pipelines and pressure vessels of production equipment, and corrosion degree of various parts in use.

It can also be widely used in manufacturing, metal processing, commodity inspection and other testing areas. Any material that allows ultrasonic to transmit at a constant speed and that is distinguishable from waves reflected from the back side is applicable to this instrument.

Specifications

Specifications

Product Code	XE-4150-001
Model	GT1201
General Description	Ultrasonic Thickness Gauge
Accuracy	+/- (0.5% H +0.05)mm
Readings	1500 storage
Resolution	0.01mm (1.00-99.99mm) / 0.1mm (100-300mm)
Battery	1000mAh 3.7V Lithium Battery
Dimensions	150.6mm x 65.3mm x 35mm
Function #1	Measurement range: 1.00 - 300.0mm (steel)
Function #2	Operation Frequency: 5MHz / 2.5MHz
Function #3	Sound Speed Measurement: 1000 - 9999 m/s
Operating Temperature	0-40°C
Weight	158g
Power Supply	USB charging 5V 1A